

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	88433	voltage and current and status	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
2	BRS	L2	42067	1 and (lamp light)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
3	BRS	L3	124166	voltage same current same (lamp light)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
4	BRS	L4	48758	3 and (\$2normal)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	9645	3 and status	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
6	BRS	L6	1205	4 and "345"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
7	BRS	L7	6665	4 and "315"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
8	BRS	L8	597	6 and (lcd (liquid adj crystal adj display))	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	6665	7 and "315"/\$.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
10	BRS	L10	368	7 and (lcd (liquid adj crystal adj display))	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
11	BRS	L11	46	8 and (dimming dimmer)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B
12	BRS	L12	121	10 and (dimming dimmer)	US- PGPUB; USPAT; USOCR; EPO; JPO; IBM_TD B